

# SAFETY DATA SHEET



Product name: Corium 123  
Supersedes date: 2016-05-01  
Product No.:

Page: 1/10  
Last revised date: 2020-06-04  
SDS-ID: GB-EN/3.0

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name: Corium 123

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Degreasing agent

### 1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

Manufacturer: ITW PP & F Korea Limited.  
13th Fl., Unit B, PAX Tower  
609 Eonju-ro, Gangnam-gu  
Seoul, Korea 06108  
Tel:+82-2-2088-3560  
Fax:+82-2-513-3567  
magna@magnagroup.com  
www.magnagroup.com

Further information can be obtained from: magna@magnagroup.com

### 1.4. Emergency telephone number

Emergency telephone: NHS: 111

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 2/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP: Aerosol 1;H222,H229 - Acute Tox. 4;H332 - Aquatic Chronic 3;H412

### 2.2. Label elements



Danger

|             |  |
|-------------|--|
| H222        | Extremely flammable aerosol.   |
| H229        | Pressurised container: May burst if heated.  |
| H332        | Harmful if inhaled.  |
| H412        | Harmful to aquatic life with long lasting effects.   |
| P261        | Avoid breathing spray.   |
| P271        | Use only outdoors or in a well-ventilated area.  |
| P273        | Avoid release to the environment.  |
| P501        | Dispose of contents/container in accordance with local regulations.                            |
| P210        | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211        | Do not spray on an open flame or other ignition source.  |
| P251        | Do not pierce or burn, even after use.   |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.                    |

### 2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown.  
All substances in the product are either registered or exempt from registration under REACH.

CLP:

| %:     | CAS-No.: | EC No.:   | REACH Reg. No.: | Chemical name:         | Hazard classification:   | Notes: |
|--------|----------|-----------|-----------------|------------------------|--|--------|
| 60-100 | 156-60-5 | 205-860-2 | -               | trans-Dichloroethylene | Flam. Liq. 2;H225<br>Acute Tox. 4;H332<br>Aquatic Chronic 3;H412 |        |
| 1-10   | 124-38-9 | 204-696-9 | -               | Carbon dioxide         | -  |        |

References: The full text for all hazard statements is displayed in section 16.

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 3/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

**Burns:** Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

**Inhalation:** Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

**Skin contact:** Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.

**Ingestion:** Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/effects:** See section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Medical attention/treatments:** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Extinguishing media:** Extinguish with foam, carbon dioxide, dry powder or water fog. Do not use water jet as an extinguisher, as this will spread the fire. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards:** Aerosol containers can explode when heated, due to excessive pressure build-up.

### 5.3. Advice for firefighters

**Protective equipment for fire-fighters:** Use air-supplied respirator during fire fighting. Wear full protective clothing.

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 4/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions: Do not smoke or use open fire, or other sources of ignition. Follow precautions for safe handling described in this safety data sheet.

### **6.2. Environmental precautions**

Environmental precautions: Aerosol containers should not be dumped in nature.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up: Remove sources of ignition. Beware of the explosion danger. Collect with absorbent, non-combustible material into suitable containers. Do not allow to enter drains, sewers or watercourses.

### **6.4. Reference to other sections**

References: For personal protection, see section 8.  
For waste disposal, see section 13.

## SECTION 7: HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

Safe handling advice: Avoid inhalation of aerosols and contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Do not smoke or use open fire or other sources of ignition.

Technical precautions: Provide adequate ventilation.  
Provide easy access to water supply or an emergency shower.

### **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Protect from freezing and direct sunlight. Store in tightly closed original container in a well-ventilated place.  
Do not store near heat sources or expose to high temperatures.

### **7.3. Specific end use(s)**

Specific use(s): No information available.

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 5/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits:

| <u>CAS-No.:</u> | <u>Chemical name:</u>                                | <u>As:</u> | <u>Exposure limits:</u> |             | <u>Type:</u> | <u>Notes:</u> | <u>References:</u> |
|-----------------|--|------------|-------------------------|-------------|--------------|---------------|--------------------|
| 124-38-9        | Carbon dioxide                                       | -          | 5000 ppm                | 9150 mg/m3  | TWA          | -             | EH40               |
|                 |  | -          | 15000 ppm               | 27400 mg/m3 | STEL         | 15min         |                    |
| 156-60-5        | 1,2-Dichloroethylene<br>(cis:trans isomers<br>60:40) | -          | 200 ppm                 | 806 mg/m3   | TWA          | -             | EH40               |
|                 |  | -          | 250 ppm                 | 1010 mg/m3  | STEL         | 15min         |                    |

Notes: EH40: EH40/2005.

### 8.2. Exposure controls

|   |  |
|---|--|
| <u>Engineering measures:</u>            | Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours and spray mist.  |
| <u>Personal protection:</u>             | Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.                    |
| <u>Respiratory equipment:</u>           | In case of inadequate ventilation use suitable respirator.   |
| <u>Hand protection:</u>                 | Wear protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. |
| <u>Eye protection:</u>                  | Risk of contact: Wear goggles/face shield.   |
| <u>Skin protection:</u>                 | Wear appropriate clothing to prevent repeated or prolonged skin contact.   |
| <u>Hygiene measures:</u>                | Wash hands after handling.   |
| <u>Environmental Exposure Controls:</u> | Not available.   |

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 6/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| <u>Appearance:</u>                              | aerosol/colourless liquid                                  |
| <u>Odour:</u>                                   | Solvent.   |
| <u>Melting point / freezing point:</u>          | Not available.   |
| <u>Boiling point:</u>                           | 48.7°C (trans-Dichloroethylene)                            |
| <u>Flash point:</u>                             | 2.22°C (trans-Dichloroethylene)                            |
| <u>Explosive limits</u>                         | Upper/lower flammability or explosive limits: 12.8% / 9.7% |
| <u>Vapour pressure:</u>                         | Not available.   |
| <u>Relative density:</u>                        | 1.26   |
| <u>Partition coefficient (n-octanol/water):</u> | log Kow: 2.06 (trans-Dichloroethylene)                     |
| <u>Auto-ignition temperature (°C):</u>          | Not available.   |
| <u>Viscosity:</u>                               | Not available.   |
| <u>Oxidising properties:</u>                    | Not available.   |

### 9.2. Other information

|                    |               |
|--------------------|---------------|
| <u>Other data:</u> | Not relevant. |
|--------------------|---------------|

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

|                    |             |
|--------------------|-------------|
| <u>Reactivity:</u> | None known. |
|--------------------|-------------|

### 10.2. Chemical stability

|                   |   |
|-------------------|---|
| <u>Stability:</u> | Stable under normal temperature conditions. |
|-------------------|---|

### 10.3. Possibility of hazardous reactions

|                             |  |
|-----------------------------|--|
| <u>Hazardous Reactions:</u> | In use, may form flammable/explosive vapour-air mixture. |
|-----------------------------|--|

### 10.4. Conditions to avoid

|                            |  |
|----------------------------|--|
| <u>Conditions to avoid</u> | Direct sunlight. Keep away from heat, sparks and open flame. |
|----------------------------|--|

### 10.5. Incompatible materials

|                                |   |
|--------------------------------|---|
| <u>Incompatible materials:</u> | Strong oxidising substances, strong acids and strong bases. |
|--------------------------------|---|

### 10.6. Hazardous decomposition products

|  |  |
|--|--|
| <u>Hazardous decomposition products:</u> | When heated and in case of fire, carbon monoxide, carbon dioxide and low-molecular hydrocarbons may be formed. |
|--|--|

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 7/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

|   |   |
|---|---|
| <u>Acute Toxicity (Oral):</u>             | Based on available data, the classification criteria are not met.   |
| <u>Acute Toxicity (Dermal):</u>           | Based on available data, the classification criteria are not met.   |
| <u>Acute Toxicity (Inhalation):</u>       | Harmful if inhaled.   |
| <u>Skin Corrosion/Irritation:</u>         | Based on available data, the classification criteria are not met.   |
| <u>Serious eye damage/irritation:</u>     | Based on available data, the classification criteria are not met.   |
| <u>Respiratory or skin sensitisation:</u> | Based on available data, the classification criteria are not met.   |
| <u>Germ cell mutagenicity:</u>            | Based on available data, the classification criteria are not met.   |
| <u>Carcinogenicity:</u>                   | Based on available data, the classification criteria are not met.   |
| <u>Reproductive Toxicity:</u>             | Based on available data, the classification criteria are not met.   |
| <u>STOT - Single exposure:</u>            | Based on available data, the classification criteria are not met.   |
| <u>STOT - Repeated exposure:</u>          | Based on available data, the classification criteria are not met.   |
| <u>Aspiration hazard:</u>                 | Based on available data, the classification criteria are not met.   |
| <u>Inhalation:</u>                        | Vapours and spray mist may irritate throat and respiratory system and cause coughing. In high concentrations, vapours and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea. |
| <u>Skin contact:</u>                      | Prolonged contact may cause redness, irritation and dry skin.   |
| <u>Eye contact:</u>                       | Direct contact may irritate.  |
| <u>Ingestion:</u>                         | May cause nausea, headache, dizziness and intoxication.   |
| <u>Specific effects:</u>                  | Frequent inhalation of even small concentrations may cause irritability, fatigue and memory failure and eventually permanent damage to the nervous system, including the brain.                           |

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity: Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

Degradability: There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

### 12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

### 12.6. Other adverse effects

Other adverse effects: The product contains volatile, organic compounds which have a photochemical ozone creation potential.

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 8/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Do not puncture or incinerate even when empty. Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket.

Waste from residues: Used cloths, etc. EWC-code:15 02 02

Contaminated packaging: EWC-code:15 01 11  
Empty aerosol containers before disposal.

## SECTION 14: TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

UN-No: 1950

### 14.2. UN proper shipping name

Proper Shipping Name: AEROSOLS, FLAMMABLE.

### 14.3. Transport hazard class(es)

Class: 2.1

### 14.4. Packing group

PG: -

### 14.5. Environmental hazards

Marine pollutant: Yes.

Environmentally Hazardous substance: No.

### 14.6. Special precautions for user

Special precautions: None known.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

---



# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 9/10       |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.  
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.  
EH40/2005, Workplace exposure limits 2005, with amendments.  
The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments.  
The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.  
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

### 15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

---

# SAFETY DATA SHEET

|                  |            |                    |            |
|------------------|------------|--------------------|------------|
| Product name:    | Corium 123 | Page:              | 10/10      |
| Supersedes date: | 2016-05-01 | Last revised date: | 2020-06-04 |
| Product No.:     |            | SDS-ID:            | GB-EN/3.0  |

---

## SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements:

1, 2, 3, 8, 9, 11, 12, 14, 15, 16.

Corium Industrial Chemicals  
13th Fl., Unit B, PAX Tower,  
609, Eonju-Ro, Gangnam-Gu, Korea 06108  
Tel : +82-2-2088-3560  
Fax : +82-2-513-3567  
Web site : [www.magnagroup.com](http://www.magnagroup.com)

The Corium Trade Mark is the property of ITW Inc., and is used under license by ITW PP & F Korea Limited.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

|      |  |
|------|--|
| H222 | Extremely flammable aerosol.                       |
| H225 | Highly flammable liquid and vapour.                |
| H229 | Pressurised container: May burst if heated.        |
| H332 | Harmful if inhaled.                                |
| H412 | Harmful to aquatic life with long lasting effects. |

---

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Artens Allé 5, DK-2970 Hørsholm, Denmark.  
[www.dhigroup.com](http://www.dhigroup.com).