

Product name: Corium 168 Page: 1/10
Supersedes date: 2016-05-10 Last revised date: 2020-06-04

Product No.: SDS-ID: GB-EN/3.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Corium 168

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Degreasing agent

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

Manufacturer: ITW PP & F Korea Limited.

13th FI., Unit B, PAX Tower 609 Eonju-ro, Gangnam-gu Seoul, Korea 06108 Tel:+82-2-2088-3560 Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com

Further information can be

obtained from:

magna@magnagroup.com

1.4. Emergency telephone number

Emergency telephone: NHS: 111

 Product name:
 Corium 168
 Page:
 2/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: Aerosol 1;H222,H229 - Acute Tox. 4;H332 - Aquatic Chronic 3;H412

2.2. Label elements



Danger

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local regulations.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown. All substances in the product are either registered or exempt from registration under REACH.

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	156-60-5	205-860-2	-	trans-Dichloroethylene	Flam. Liq. 2;H225 Acute Tox. 4;H332 Aquatic Chronic 3;H412	
1-10	124-38-9	204-696-9	-	Carbon dioxide	-	

References: The full text for all hazard statements is displayed in section 16.

Product name:Corium 168Page:3/10Supersedes date:2016-05-10Last revised date:2020-06-04Product No.:SDS-ID:GB-EN/3.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring

these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog. Do not use water

jet as an extinguisher, as this will spread the fire. Cool containers exposed to

heat with water spray and remove container, if no risk is involved.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Aerosol containers can explode when heated, due to excessive pressure build-

up.

5.3. Advice for firefighters

Protective equipment for fire- Use air-supplied respirator during fire fighting. Wear full protective clothing.

fighters:

 Product name:
 Corium 168
 Page:
 4/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Do not smoke or use open fire, or other sources of ignition. Follow precautions

for safe handling described in this safety data sheet.

6.2. Environmental precautions

<u>Environmental</u> Aerosol containers should not be dumped in nature.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Remove sources of ignition. Beware of the explosion danger. Collect with

absorbent, non-combustible material into suitable containers. Do not allow to

enter drains, sewers or watercourses.

6.4. Reference to other sections

<u>References:</u> For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u> Avoid inhalation of aerosols and contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Do not smoke or use open fire or other sources of ignition.

<u>Technical precautions:</u> Provide adequate ventilation.

Provide easy access to water supply or an emergency shower.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> Follow rules for flammable liquids.

storage:

Storage conditions: Protect from freezing and direct sunlight. Store in tightly closed original container

in a well-ventilated place.

Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific use(s): No information available.

 Product name:
 Corium 168
 Page:
 5/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Expo	sure limits:	Type:	Notes:	References:
124-38-9	Carbon dioxide	-	5000 ppm	9150 mg/m3	TWA	-	EH40
		-	15000 ppm	27400 mg/m3	STEL	15min	
156-60-5	1,2-Dichloroethylene (cis:trans isomers 60:40)	-	200 ppm	806 mg/m3	TWA	-	EH40
		-	250 ppm	1010 mg/m3	STEL	15min	

Notes: EH40: EH40/2005.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimise the risk of inhalation of vapours and spray mist.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator.

<u>Hand protection:</u> Wear protective gloves. The most suitable glove must be chosen in

consultation with the gloves supplier, who can inform about the breakthrough

time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: Wear appropriate clothing to prevent repeated or prolonged skin contact.

<u>Hygiene measures:</u> Wash hands after handling.

Environmental Exposure

Controls:

Not available.

 Product name:
 Corium 168
 Page:
 6/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: aerosol/colourless liquid

Odour: Solvent.

Melting point / freezing point: Not available.

Boiling point: 48.7°C (trans-Dichloroethylene)

Flash point: 2.22°C (trans-Dichloroethylene)

Explosive limits Upper/lower flammability or explosive limits: 12.8% / 9.7%

<u>Vapour pressure:</u> Not available.

Relative density: 1.26

Partition coefficient (n-

octanol/water):

log Kow: 2.06 (trans-Dichloroethylene)

-

<u>Auto-ignition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available. <u>Oxidising properties:</u> Not available.

9.2. Other information

Other data: Not relevant.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> In use, may form flammable/explosive vapour-air mixture.

10.4. Conditions to avoid

<u>Conditions to avoid</u> Direct sunlight. Keep away from heat, sparks and open flame.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances, strong acids and strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition When heated and in case of fire, carbon monoxide, carbon dioxide and low-

<u>products:</u> molecular hydrocarbons may be formed.

Corium 168 Product name: 7/10 Page: Supersedes date: 2016-05-10 2020-06-04 Last revised date: Product No.: SDS-ID: GB-EN/3.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute Toxicity (Oral): Acute Toxicity (Dermal): Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Harmful if inhaled.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin

sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity: Reproductive Toxicity: Based on available data, the classification criteria are not met. STOT - Single exposure: Based on available data, the classification criteria are not met. STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Aspiration hazard:

Vapours and spray mist may irritate throat and respiratory system and cause Inhalation:

coughing. In high concentrations, vapours and spray mists are narcotic and may

cause headache, fatigue, dizziness and nausea.

Prolonged contact may cause redness, irritation and dry skin. Skin contact:

Eye contact: Direct contact may irritate.

Ingestion: May cause nausea, headache, dizziness and intoxication.

Specific effects: Frequent inhalation of even small concentrations may cause irritability, fatigue

and memory failure and eventually permanent damage to the nervous system,

including the brain.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Degradability: There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: The product contains volatile, organic compounds which have a photochemical

ozone creation potential.

 Product name:
 Corium 168
 Page:
 8/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Do not puncture or incinerate even when empty. Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket.

Waste from residues: Used cloths, etc. EWC-code:15 02 02

Contaminated packaging: EWC-code:15 01 11

Empty aerosol containers before disposal.

SECTION 14: TRANSPORT INFORMATION

The product is covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u> 1950

14.2. UN proper shipping name

<u>Proper Shipping Name:</u> AEROSOLS, FLAMMABLE.

14.3. Transport hazard class(es)

<u>Class:</u> 2.1

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: Yes. Environmentally Hazardous No.

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: Not relevant.

 Product name:
 Corium 168
 Page:
 9/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: As a general rule, persons under 18 years of age are not allowed to work with

this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of

18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and

2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments.

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No.

3242), with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

 Product name:
 Corium 168
 Page:
 10/10

 Supersedes date:
 2016-05-10
 Last revised date:
 2020-06-04

 Product No.:
 SDS-ID:
 GB-EN/3.0

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements:

1, 2, 3, 8, 9, 11, 12, 14, 15, 16.

Corium Industrial Chemicals 13th Fl., Unit B, PAX Tower, 609, Eonju-Ro, Gangnam-Gu, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Corium Trade Mark is the property of ITW Inc., and is used under license by ITW PP & F Korea Limited.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H222 Extremely flammable aerosol.

H225 Highly flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.