

Product name: Omega 38 Page: 1/9
Supersedes date: 2016-04-14 Last revised date: 2019-02-12

Product No.: SDS-ID: GB-EN/6.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 38

Container size: 5 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Food Grade Grease

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

•

<u>Manufacturer:</u> Ωmega Manufacturing Division

13th floor, Unit B, PAX Tower, 609 Eonju-ro

Gangnam-Gu, Seoul

Korea 06108

Tel:+82-2-2088-3560 Fax:+82-2-513-3567

1.4. Emergency telephone number

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<u>CLP:</u> The product is not classified.

2.2. Label elements

Safety data sheet available on request.

2.3. Other hazards

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The harmful effects may increase in used grease.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Only classified substances above threshold limits or substances with an exposure limit are shown.

All substances in the product are either registrered or exempt from registration under REACH.

Product name: Omega 38 Page: 2/9
Supersedes date: 2016-04-14 Last revised date: 2019-02-12
Product No.: SDS-ID: GB-EN/6.0

CLP:

<u>%:</u> <u>CAS-No.:</u> <u>EC No.:</u> <u>REACH Reg. No:</u> <u>Chemical name:</u> <u>Hazard classification:</u> <u>Notes:</u>

1-5 64-17-5 200-578-6 - Ethanol Flam. Liq. 2;H225 Eye Irrit. 2;H319
1-5 9003-29-6 500-004-7 - Butene, homopolymer Skin Irrit. 2;H315

(products derived from Asp. Tox. 1;H304 either/or But-1-ene/But-2-

ene)

1-5 9003-27-4 - Polyisobutene Aquatic Chronic 4;H413

Notes: DMSO-content < 3%

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

<u>Protective equipment for fire-</u> Selection of respiratory protection for fire fighting: follow the general fire

fighters: precautions indicated in the workplace.

3/9 Product name: Omega 38 Page: Supersedes date: 2016-04-14 Last revised date: 2019-02-12 Product No.: SDS-ID: GB-EN/6.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes. Follow precautions for safe handling described

in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and

water or skin cleaning agent, never use organic solvents.

Technical measures: Work practice should minimise contact.

Technical precautions: When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

Product name: Omega 38 Page: 4/9

Supersedes date: 2016-04-14 Last revised date: 2019-02-12

Product No.: SDS-ID: GB-EN/6.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u> <u>Chemical name:</u> <u>As:</u> <u>Exposure limits:</u> <u>Type:</u> <u>Notes:</u> <u>References:</u>

64-17-5 Ethanol - 1000 ppm 1920 mg/m3 TWA - EH40

Notes: EH40: EH40/2005.

DNEL/PNEC: No information available.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimise the risk of inhalation of vapours.

When working with heated grease, mechanical ventilation may be required. Provide access to washing facilities incl. soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. It is recommended to

use respiratory equipment with combination filter, type A2/P3.

Hand protection: For prolonged or repeated skin contact use suitable protective gloves. Nitrile

gloves are recommended.

Breakthrough time: > 4 h, Thickness: > 0.4 mm

Other types of gloves can be recommended by the glove supplier.

Eye protection: Risk of contact: Wear goggles/face shield.

<u>Hygiene measures:</u> Wash hands after handling. Change contaminated clothing.

Environmental Exposure

Controls:

Not available.

Product name: Omega 38 Page: 5/9

Supersedes date: 2016-04-14 Last revised date: 2019-02-12

Product No.: SDS-ID: GB-EN/6.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Grease.

Colour: Clear.

Odour: Odourless.

Odour threshold: Not available.

PH: Not applicable.

Melting point / freezing point: Not available.

Boiling point: Not available.

Flash point: 225°C

Evaporation rate: Not determined.

Flammability (solid, gas): Not applicable.

Explosive limits Not determined.

Vapour pressure: Not determined.

Vapour density: Not available.

Relative density: 0.835

Solubility: Negligible.

Partition coefficient (n-

octanol/water):

Not determined.

<u>Auto-ignition</u> Not determined.

temperature (°C):

<u>Decomposition</u> Not determined.

temperature (°C):

<u>Viscosity:</u> Not determined. <u>Explosive properties:</u> Not determined. <u>Oxidising properties:</u> Not determined.

9.2. Other information

Other data: Not available.

Product name: 6/9 Omega 38 Page: Supersedes date: 2016-04-14 2019-02-12 Last revised date: Product No.: SDS-ID: GB-EN/6.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

Carbon oxides

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions to avoid Heating.

10.5. Incompatible materials

Incompatible materials: Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. Acute Toxicity (Oral): Acute Toxicity (Dermal): Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met. Skin Corrosion/Irritation: Serious eye damage/irritation: Based on available data, the classification criteria are not met. Respiratory or skin Based on available data, the classification criteria are not met.

sensitisation:

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity: Based on available data, the classification criteria are not met.

STOT - Single exposure: Based on available data, the classification criteria are not met. STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Aspiration hazard:

Inhalation: Inhalation of vapours formed during heating of the product will irritate the

respiratory system and provoke coughing.

Degreasing. Prolonged or frequent contact may cause redness, itching, eczema Skin contact:

and skin cracking.

Eye contact: Direct contact may irritate. Ingestion: May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin

diseases, such as dermatitis. The harmful effects may increase in used grease.

Product name:Omega 38Page:7/9Supersedes date:2016-04-14Last revised date:2019-02-12Product No.:SDS-ID:GB-EN/6.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Greases are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 12 01 12

SECTION 14: TRANSPORT INFORMATION

The product is not regulated as dangerous goods under IMDG Code, IATA-DGR and ADR/RID.

14.1. UN number

UN-No: Not regulated.

14.2. UN proper shipping name

<u>Proper Shipping Name:</u> Not regulated.

14.3. Transport hazard class(es)

Class: Not regulated.

14.4. Packing group

PG: Not regulated.

14.5. Environmental hazards

Marine pollutant: Not regulated.

Environmentally Hazardous Not regulated.

substance:

14.6. Special precautions for user

<u>Special precautions:</u> Not regulated.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not regulated.

Product name: Omega 38 Page: 8/9
Supersedes date: 2016-04-14 Last revised date: 2019-02-12

Product No.: SDS-ID: GB-EN/6.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No information available.

 Product name:
 Omega 38
 Page:
 9/9

 Supersedes date:
 2016-04-14
 Last revised date:
 2019-02-12

 Product No.:
 SDS-ID:
 GB-EN/6.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 3, 8, 16

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Wording of H-statements:

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.