

Product name:Omega 690Page:1/8Supersedes date:2016-05-10Last revised date:2019-10-08Product No.:SDS-ID:GB-EN/7.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 690
Container size: 5 I, 20 I, 205 I

1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> Gear oil.

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

.

Manufacturer: ITW PP & F Korea Limited.

13th Fl., Unit B, PAX Tower 609 Eonju-ro, Gangnam-gu Seoul, Korea 06108 Tel:+82-2-2088-3560

Fax:+82-2-513-3567 magna@magnagroup.com www.magnagroup.com

1.4. Emergency telephone number

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: Aquatic Chronic 3;H412

2.2. Label elements

H412 Harmful to aquatic life with long lasting effects.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local regulations.

Contains: Long-chain alkyl amine. May produce an allergic reaction.

2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation,

eczema, skin cracking and oil acne. Degreasing to skin. The harmful effects may

increase in used oil.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

 Product name:
 Omega 690
 Page:
 2/8

 Supersedes date:
 2016-05-10
 Last revised date:
 2019-10-08

 Product No.:
 SDS-ID:
 GB-EN/7.0

The product contains: mineral oil and additives.

Only classified substances above threshold limits or substances with an exposure limit are shown. All substances in the product are either registered or exempt from registration under REACH.

CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
60-100	68037-01-4	500-183-1	01-2119486452-34- 0018	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	-	
0,1-<1	-		-	Long-chain alkyl amine	Acute Tox. 3;H311 Acute Tox. 3;H331 Skin Corr. 1B;H314 Skin Sens. 1;H317 STOT RE 2;H373 Aquatic Acute 1;H400 Aquatic Chronic 1;H410	
0,1-<1	-		-	Long-chain alkenyl amine	Acute Tox. 4;H302 Skin Corr. 1A;H314 Aquatic Acute 1;H400	
Notes:			DMSO < 3% (IP 346	s)		

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

<u>Inhalation:</u> Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing or after inhalation of oil mist: Seek medical attention and bring along

these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

Product name: Omega 690 3/8 Page: Supersedes date: 2016-05-10 Last revised date: 2019-10-08 Product No.: SDS-ID: GB-EN/7.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

> Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

fighters:

Protective equipment for fire- Selection of respiratory protection for fire fighting: follow the general fire

precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of oil mist and contact with skin and eyes. Follow precautions for

safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing

or shoes, and do not put rags moistened with oil into pockets.

Use work methods which minimise oil mist production. Technical measures:

Technical precautions: When working with heated oil, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

Product name:Omega 690Page:4/8Supersedes date:2016-05-10Last revised date:2019-10-08Product No.:SDS-ID:GB-EN/7.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimise the risk of inhalation of vapours and oil mist. Provide access to

washing facilities incl. soap, skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable

respiratory equipment with combination filter (type A2/P3) can be used.

<u>Hand protection:</u> Wear protective gloves. The most suitable glove must be chosen in

consultation with the gloves supplier, who can inform about the breakthrough

time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

<u>Hygiene measures:</u> Wash hands after contact. Remove contaminated clothing and wash the skin

thoroughly with soap and water after work. Wash contaminated clothing before

reuse.

Environmental Exposure

Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: red liquid

Odour: Almost odourless.

<u>pH:</u> Not relevant.<u>Boiling point:</u> Not available.

Flash point: >150°C

Explosive limits Not available.

Relative density: ~0,9

Solubility: insoluble in water (<0,1 g/l)

9.2. Other information

Other data: No information available.

 Product name:
 Omega 690
 Page:
 5/8

 Supersedes date:
 2016-05-10
 Last revised date:
 2019-10-08

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions to avoid None specific.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances.

10.6. Hazardous decomposition products

Hazardous decomposition

None in particular.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or frequent contact may cause redness, itching, irritation,

eczema, skin cracking and oil acne. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive

individuals after repeated contact.

Eye contact: Splashes may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used oil may cause serious skin diseases,

such as dermatitis and skin cancer. The harmful effects may increase in used oil.

Product name:Omega 690Page:6/8Supersedes date:2016-05-10Last revised date:2019-10-08Product No.:SDS-ID:GB-EN/7.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

The product contains substance which are very toxic to aquatic organisms and

which may cause long term adverse effects in the aquatic environment.

Expected LC/EC50 value: 0,1 < LC50 ≤ 1 mg/l (Long-chain alkyl amine) Expected LC/EC50 value 0.01 < LC50 ≤ 0.1 mg/l (Long-chain alkenyl amine)

12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: No data available.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 13 02 05

Product name:Omega 690Page:7/8Supersedes date:2016-05-10Last revised date:2019-10-08Product No.:SDS-ID:GB-EN/7.0

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: -

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk: -

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: No chemical safety assessment has been carried out.

 Product name:
 Omega 690
 Page:
 8/8

 Supersedes date:
 2016-05-10
 Last revised date:
 2019-10-08

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. Contact your local authority for any used oil disposal instructions.

The following sections contain revisions or new statements: 3, 8, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

<u>Abbreviations and acronyms</u> PBT = Persistent, Bioaccumulative and Toxic. <u>used in the safety data sheet:</u> vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H412	Harmful to aquatic life with long lasting effects.	
H410	Very toxic to aquatic life with long lasting effects.	
H400	Very toxic to aquatic life.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H331	Toxic if inhaled.	
H317	May cause an allergic skin reaction.	
H314	Causes severe skin burns and eye damage.	
H311	Toxic in contact with skin.	
H302	Harmful if swallowed.	

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.