



MATERIAL SAFETY DATA SHEET

Schnee-Morehead®, Inc.

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : SM 5190 Tacky Tape ®

PRODUCT CODE : SM 5190

DESCRIPTION : Debulking Tape Sealant

MANUFACTURER'S NAME : Schnee-Morehead, Inc.

STREET ADDRESS : 111 North Nursery Road, Irving, Texas

INFORMATION PHONE : 972-438-9111

EMERGENCY PHONE : 800-424-9300 CHEMTREC

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a solid tape, black in color, packages in rolls with a release paper on top.

OSHA Regulatory Status: This product does not contain components that are considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1910.1200)

Potential Health Effects Inhalation: Not a likely route of exposure.

Potential Health Effects Skin: Not a likely route of exposure.

Potential Health Effects Eyes: Not a likely route of exposure.

Potential Health Effects Ingestion: Not a likely route of exposure.

HMIS Ratings: Health 0 Fire 0 Reactivity 0

Hazard Scale 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS NUMBER	PERCENT (WGT)
Talc, Containing no asbestos fibers	14807-96-6	15-45%

SECTION 4 - FIRST AID MEASURES

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes, while holding eyes open. Immediately seek medical attention.

SKIN CONTACT : Immediately wash exposed area with soap and water.

INHALATION : Under normal conditions of use, inhalation of product is unlikely

INGESTION : GET IMMEDIATE MEDICAL ATTENTION! DO NOT INDUCE VOMITING. Do not attempt to give anything by mouth to an unconscious person.

NOTES TO PHYSICIANS : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: N/A

MATERIAL SAFETY DATA SHEET

Schnee-Morehead[®], Inc.

FLAMMABILITY CLASSIFICATION: None

EXTINGUISHING MEDIA : Use methods appropriate for the surrounding fire. Water spray, dry chemical, carbon dioxide, AFFF or alcohol resistant foams are all appropriate.

Fire Fighting Equipment: Wear protective clothing suitable for the surrounding fire, including firefighting turnout gear, helmet, and positive pressure self contained breathing apparatus.

SPECIAL FIREFIGHTING PROCEDURES: None

UNUSUAL FIRE AND EXPLOSION HAZARD : None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS : Use appropriate personal protective equipment specified in Section 8

ENVIRONMENTAL PRECAUTIONS : This material is a solid tape product and release to the environment is highly unlikely.

METHODS FOR CONTAINMENT: Containment is not necessary.

METHODS FOR CLEAN-UP : If material spills from box or other container, simply scoop material and place in appropriate container and dispose of in accordance with local, state and federal regulations.

OTHER INFORMATION: None

SECTION 7 - HANDLING AND STORAGE

HANDLING : Use good chemical handling procedures and practices. No special handling precautions are needed.

STORAGE: Rotate stock. Store at or under 80°F. Do not stack cartons on end.

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

COMPONENT EXPOSURE LIMITS : TALC (as a dust only) ACGIH TWA = 2 mg/m³
OSHA TWA = 3.3 mg/m³

ENGINEERING CONTROLS: None needed.

EYE/ FACE PROTECTION: Safety glasses with side shields.

SKIN PROTECTION: Chemical resistant gloves.

RESPIRATORY PROTECTION: None needed.

GENERAL HYGIENE: Use good hygiene practices when handling this material. Wash hands before eating, drinking, smoking or using toilet facilities.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Black tape material.		
ODOR:	Slight rubber odor	Ph:	N/A
PHYSICAL STATE:	Solid	SPECIFIC GRAVITY:	1.54
VAPOR PRESSURE:	N/A	PERCENT NONVOLATILE:	100%
VAPOR DENSITY:	N/A	VOC:	0%
BOILING POINT:	N/A	FLASH POINT (METHOD):	N/A
MELTING POINT:	N/A	UPPER LIMIT:	N/A
SOLUBILITY (H2O):	Non soluble	LOWER LIMIT:	N/A

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under ordinary conditions of use & storage.

CONDITIONS TO AVOID: None Known.

INCOMPATIBLE MATERIALS: Liquid chlorine, potassium permanganate, fuming nitric acid, fluorine and other strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Evolves carbon dioxide, carbon monoxide.

POSSIBILITY OF HAZARDOUS REACTIONS: None

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE AND CHRONIC EFFECTS: No known acute effects. No known chronic effects.

COMPONENT ANALYSIS – LD50/LC50:

N/A

CARCINOGENICITY: **NTP:** No **IARC:** No **OSHA REGULATED:** No

OTHER TOXICOLOGICAL INFORMATION: None available

SECTION 12 - ECOLOGICAL INFORMATION

GENERAL: This product is not environmentally persistent or harmful.

COMPONENT ANALYSIS: None known

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE NUMBER AND DESCRIPTION: None identified

DISPOSAL INSTRUCTIONS: Waste must be handled in accordance with all applicable regulations. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements. Processing, use or contamination of this product may change the waste management options.

SECTION 14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME / DESCRIPTION: Not regulated as a hazardous material under US DOT regulations.

OTHER INFORMATION: None

SECTION 15 - REGULATORY INFORMATION

US Federal Regulations: Not listed by TSCA, not regulated under SARA 313.

STATE REGULATIONS: Other state regulations may apply. Check individual state requirements.

SECTION 16 - OTHER INFORMATION

DATE PREPARED: 6/27/11

SUPERSEDES DATE: 3/10/10

KEY / LEGEND:

N/A = Not Applicable, N.A. = Not Available, N.D. = Not Determined, N/E = Not established, UNK = Unknown

This document may be used to comply with OSHA's Hazardous Communication Standard, 29 CFR 1910.1200.

A MSDS such as this cannot be expected to cover all possible individual situations. The end user of this product has the responsibility to provide a safe workplace. All aspects of an individual operation should be examined to determine if, or where, precautions – in addition to those described herein – are required. Any health and safety information contained herein should be passed on to your customers and/or employees.

The opinions expressed herein are those of qualified experts within Schnee-Morehead[®], Inc. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and the use of this product are not within the control of Schnee-Morehead[®], Inc., final determination of suitability of this product is the sole responsibility of the user. It is the responsibility of the user to comply with all applicable Federal, State and Local laws and regulations.