

SAFETY DATA SHEET

Composite Welder™FS Part B

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Composite Welder™FS Part B
Product No. 14167-NC-250

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Performance Polymers (Wujiang) Co.
Ltd.
No.4680 North Pangjin Road
Economic Development Zone
Wujiang, Jiangsu, China
Telephone : (+86) 512-63488388
Fax : (+86) 512-63091890
E-mail Address : info@itwppfchina.com

1.4. Emergency telephone number

For emergencies in the US, call CHEMTREC: 800-424-9300/+1 703-527-3887.
National Emergency Telephone Number
National Emergency Telephone Number (+86) 532-83889090 (24H)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Org. Perox. E - H242
Human health	Eye Irrit. 2 - H319; Skin Sens. 1 - H317
Environment	Aquatic Chronic 3 - H412

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008
No pictogram required.



Signal Word

Warning

Hazard Statements

H242	Heating may cause a fire.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Composite Welder™ FS Part B

Supplementary Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P220	Keep away from combustible materials.
P234	Keep only in original container.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337	If eye irritation persists:
P363	Wash contaminated clothing before reuse.
P410	Protect from sunlight.
P411+235	Store at temperatures not exceeding ... °C/... °F. Keep cool.
P420	Store away from other materials.
P501	Dispose of contents/container to ...

2.3. Other hazards

No other hazards.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Benzoyl Peroxide CAS-No.: 94-36-0	30-60%
Classification (EC 1272/2008) Org. Perox. B - H241 Eye Irrit. 2 - H319 Skin Sens. 1 - H317	
Diisodecyl Adipate CAS-No.: 27178-16-1	10-30%
Classification (EC 1272/2008) Not classified.	

Composite Welder™ FS Part B

Reaction product of epichlorohydrin & bisphenol A	5-10%
CAS-No.: 25085-99-8	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Acute 2 - H401 Aquatic Chronic 2 - H411	
Zinc Stearate	1-5%
CAS-No.: 557-05-1	
Classification (EC 1272/2008) STOT SE 3 - H335	
Isodecyl Benzoate	1-5%
CAS-No.: 131298-44-7	
Classification (EC 1272/2008) Not classified.	
Trade Secret	1-5%
CAS-No.: Proprietary	
Classification (EC 1272/2008) Not classified.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Get medical attention if any discomfort continues.

Inhalation

IF HALANT: Move the exposed person to fresh air at once. If respiratory problems, artificial respiration/oxygen. Call a POISON CENTER or doctor if you feel unwell.

Ingestion

IF SWALLOWED: DO NOT induce vomiting. Call a POISON CENTER or doctor. Never give anything by mouth to an unconscious person.

Skin contact

IF ON SKIN(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

Composite Welder™ FS Part B

Eye contact

IF IN EYES: Hold eyelids apart. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

General information

If adverse symptoms develop as described the casualty should be transferred to hospital as soon as possible.

Inhalation

May cause severe respiratory system irritation. High concentration may cause dizziness, headache, and anesthetic effects. May cause respiratory sensitization with asthma-like symptoms in susceptible individuals.

Ingestion

Cause irritation. A burning sensation of the mouth, throat and gastrointestinal tract. Abdominal pain.

Skin contact

Can cause skin irritation. Itching, redness, rashes, hives, burning, and swelling. Allergic reactions are possible. May cause skin sensitization, an allergic reaction, which becomes evident on reexposure to this material.

Eye contact

Can cause moderate irritation, burning sensation, tearing, redness, and swelling. Overexposure may cause lacrimation, conjunctivitis, corneal damage and permanent injury.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be controlled by symptoms and clinical conditions.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Extinguish with carbon dioxide or dry powder.

Unsuitable extinguishing media

Avoid water in straight hose stream, which will scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Not determined.

Unusual Fire & Explosion Hazards

Decomposition products easily combustion. Self-accelerating decomposition temperature is 53.9 °C. Sealed containers at elevated temperatures may rupture explosively and spread fire due to decomposition.

Specific hazards

Organic peroxides can decompose violently if heated strongly while confined. Sudden reaction and fire may result if product is mixed with an oxidizing agent.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Evacuate area of unprotected personnel. Fight advanced or massive fires from safe distance or protected location. Use water to keep fire exposed containers cool and disperse vapours. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire. Extinguish at a up wind place.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8. Avoid inhalation of vapours and aerosol spray. Avoid contact with skin and eyes. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

The product belongs to water pollutant. Do not discharge into drains, water courses or onto the ground.

Composite Welder™ FS Part B

6.3. Methods and material for containment and cleaning up

Well ventilated and well protected.

【1】 Small Spillages : Collect the spillages into a closed container. Absorb with inert , damp, non-combustible material, then transit to a safety place.

【2】 Large Spillages : Stop the flow of material if this is without risk. Dike the spilled material. Cover with plastic sheet to prevent spreading. Pump or shovel to storage or salvage vessels. Prevent entry into waterways, sewer, basements or confined areas.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Provide good ventilation. Avoid breathing vapor, aerosol or mist. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area. Keep away from sources of heat and incompatible materials. Keep container tightly sealed when not in use. Store below 100°F.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
Benzoyl Peroxide	WEL		5 mg/m3			

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

Wear suitable respiratory protection.

Hand protection

Use suitable protective gloves if risk of skin contact.

Eye protection

Wear tight-fitting goggles or face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash thoroughly after handling. Form a good habit.

Personal protection

People unprotected as required are not allowed into the work area.

Skin protection

Wear apron or protective clothing in case of splashes.

Environmental Exposure Controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

Composite Welder™ FS Part B

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Solubility	Slightly soluble in water.
Initial boiling point and boiling range (°C)	
Not determined.	
Melting point (°C)	
Not determined.	
Relative density	
Not determined.	
Vapour density (air=1)	
Not determined.	
Vapour pressure	
Not determined.	
Evaporation rate	< < 1 (Butyl Acetate=1)
Evaporation Factor	
Not determined.	
pH-Value, Diluted Solution	7
Decomposition temperature (°C)	
Not determined.	
Flash point (°C)	
Not determined.	
Auto Ignition Temperature (°C)	
Not determined.	
Flammability Limit - Lower(%)	
Not determined.	
Flammability Limit - Upper(%)	
Not determined.	
Partition Coefficient (N-Octanol/Water)	
Not determined.	

9.2. Other information

No information required.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Unstable.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Not reported.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Incompatible materials. Oxidizers. Oxidizing conditions. Contamination. Direct sunlight. Friction. Prolong storage above 38 °C.

10.5. Incompatible materials

Materials To Avoid

Oxidizers. Strong acids. Strong alkali.

Composite Welder™ FS Part B

10.6. Hazardous decomposition products

Not determined.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No data available.

Skin Corrosion/Irritation:

Based on available data the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Respiratory sensitisation

Based on available data the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive Toxicity:

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure:

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

No information.

12.2. Persistence and degradability

No information.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Composite Welder™ FS Part B

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

no reports available

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information required.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Dispose of contents/container in accordance with local/regional/national/international regulation.

13.1. Waste treatment methods

【1】Waste from residues or unused products:

Recycling as much as possible. If not be recycled, arrange disposal of residual chemicals and contaminated containers in accordance to the state and local regulations.

Do not employ the disposal method by discharging into the sewer.

【2】Contaminated Packaging:

Do not reuse containers without proper cleaning or reconditioning.

The container shall be returned to the manufacturer or disposed of in accordance with state and local guidelines.

【3】Precaution When Disposal:

Safety precautions of disposal, see section 8.

The product shall be treated as hazardous waste even if it is discarded on the condition not used or contaminated.

SECTION 14: TRANSPORT INFORMATION

General

Read safety instructions, SDS and emergency procedures before handling.

14.1. UN number

3107

14.2. UN proper shipping name

Organic peroxide type E, liquid

14.3. Transport hazard class(es)

Transport Labels



14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

Composite Welder™ FS Part B

14.6. Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia-Australian Inventory of Chemical Substances (AICS)

Canada-Domestic Substance List (DSL)/Non Domestic Substances List(NDSL)

China-Inventory of Existing Chemical Substances in China (IECSS)

Europe-European Inventory of Existing Commercial Chemical Substances(EINECS)/European List of Notified Chemical Substances(ELINCS)

Japan-Inventory of Existing and New Chemical Substances (ENCS)

Korea-Existing Chemicals List(ECL)

New Zealand-New Zealand Inventory

Philippines-Philippine Inventory of Chemicals and Chemical Substances(PICCS)

United States & Puerto Rico-Toxic Substances Control Act(TSCA) Inventory

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms used in the safety data sheet

MAC: Maximum Allowable Concentration.

PC-TWA : Permissible Concentration-Time Weighted Average.

PC-STEL : Permissible Concentration-Short Term Exposure Limit.

IARC : International Agency for Research on Cancer.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG: International Maritime Dangerous Goods.

ICAO/IATA: International Air Transportation Association.

CAS: Chemical Abstracts Service.

LC50/LD50: Lethal Concentration 50%/Lethal Dose 50%.

STOT:Specific target organ toxicity.

General information

Only trained personnel should use this material.

Issued By ITW Performance Polymers (Wujiang) Co. Ltd.

Revision Date 09/10/2020

Revision 7

Supersedes date 05/08/2020

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.